

HSF

NOTES:

Current Rating:2A-Max.

(Two by one contact energized,
AT 30℃ Rise, Room Temp21.0℃)

Voltage Rating:200V/AC

Contact Resistance:20mΩ Max.

Withstand Voltage:650V AC For 1Minute

Insulation Resistance:1000MΩ Min.


Applicable Wire:AWG#22-24,AWG#26-#30

Operation Temperature:-55℃ to +125℃





Insulator Material:PA66,G.F,UL94V-0,
Black or Off-white

Table3:



Adaptation Terminal
3122B-TPXXXX




3D VIEW



DETAIL:A-A
SCALE:1/1



DETAIL:B-B
SCALE:1/1



3122B-2HAXXB01

ROW NO.:
2=DOUBLE ROW

TYPE CODE:
HK=MALE HOUSING

HOOK FORM

Internal Code:
1~9

PACK CODE:
0=PE BAG

COLOR CODE:
B=BLACK

SINGLE ROW PINS:
02~25pin

			OPERATION		DRAW	DATE	SCALE	Fit	PART NO.	WCON	
REV	DATE	MODIFICATION DESCRIPTION	DIM	TOL							
A0	2022/04/12	NEW RELEASE	X.X	±0.40	Andrey	2022/04/12	UNIT	mm	3122B-2HAXXB01	WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	
			X.XX	±0.25	CHECK	DATE	SIZE	A4	TITLE: 2.00mm Box Header Crimp Housing, Hook Form TYPE-A		
			X.XXX	±0.15	APPROVE	DATE	SHEET	1/3	Customer NO.	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com	
			Angle	± 3'			PROJ.	PROJ.			


HSF

Table.1:


PIN NO \ DIM.	DIM.A&TOL.		DIM.B	PIN NO \ DIM.	DIM.A&TOL.		DIM.B	PIN NO \ DIM.	DIM.A&TOL.		DIM.B
4P(2*2P)	4.40	±0.15	2.00	20P(2*10P)	20.40	±0.20	22.00	36P(2*18P)	36.40	±0.30	34.00
6P(2*3P)	6.40		4.00	22P(2*11P)	22.40		24.00	38P(2*19P)	38.40		36.00
8P(2*4P)	8.40		6.00	24P(2*12P)	24.40		26.00	40P(2*20P)	40.40		38.00
10P(2*5P)	10.40		8.00	26P(2*13P)	26.40		28.00	42P(2*21P)	42.40		40.00
12P(2*6P)	12.40		10.00	28P(2*14P)	28.40		30.00	44P(2*22P)	44.40		42.00
14P(2*7P)	14.40		12.00	30P(2*15P)	30.40		32.00	46P(2*23P)	46.40		44.00
16P(2*8P)	16.40	±0.15	14.00	32P(2*16P)	32.40	±0.20	34.00	48P(2*24P)	48.40	±0.30	46.00
18P(2*9P)	18.40		16.00	34P(2*17P)	34.40		36.00	50P(2*25P)	50.40		48.00

1.00±0.20


Hanging table



2*2P



2*3P



2*4P

*Remarks: 2*2P Single Hanging table; 2*3P~2*25P Double Hanging table

OPERATION

DRAW

DATE

SCALE

Fit

PART NO.

x.x ±0.40

Andrey

2022/04/12

UNIT

mm

3122B-2HAXXB01

x.xx ±0.25

CHECK

DATE

SIZE

A4

TITLE:
2.00mm Box Header Crimp Housing,
Hook Form TYPE-A

x.xxx ±0.15

Angle

± 3°

APPROVE

DATE

SHEET

2/3

Customer NO.

DIM

TOL

AO

2022/04/12

NEW RELEASE

Andrey

REV

DATE

MODIFICATION DESCRIPTION


CHANGE

WCON






Http: www.wcon.com

WCON-Dongguan
Tel: +86 769 85358920
Fax: +86 769 85358915
E-mail: sales@wcon.comWCON-Kunshan
Tel: +86 512 57468408
Fax: +86 512 57468468
E-mail: salesks@wcon.com

HSF



Assembly Hint View



Operation		Draw	Date	Scale	FIT
x.x	±0.40	Andrey.yang	2022/04/12	Unit	mm
x.xx	±0.35	Check	Date	Size	A4
x.xxx	±0.15	Approve	Date	Sheet	3/3
Angle	± 3'			PROJ.	⌀
DIM	TOL				

Part No.	
3122B-2HAXXB01	
Title:	
2.00mm Box Header Crimp Housing, Hook Form TYPE-A	
Customer No.	

WCON

Http: www.wcon.com

WCON-Dongguan
Tel: +86 769 85358920
Fax: +86 769 85358915
E-mail: sales@wcon.com

WCON-Kunshan
Tel: +86 512 57468408
Fax: +86 512 57468468
E-mail: salesks@wcon.com

A0	2022/04/12	NEW RELEASE	Andrey.yang
Rev	Date	Modfication scripction	Change