

HSF

NOTES:

Current Rating:2A–Max.

(Two by one contact energized,

AT 30°C Rise, Room Temp 21.0°C)

Voltage Rating:200V/AC

Contact Resistance: 20mΩ Max.

Withstand Voltage:650V AC For 1Minute

Insulation Resistance:1000MΩ Min.

Applicable Wire:AWG#22-24,AWG#26-#30


Operation Temperature: -55°C to $+125^{\circ}\text{C}$

Insulator Material:PA66,G.F,UL94V-0,
Black or Off-white






Table 2:

Adaptation Terminal

3122B-TPXXXX



3D VIEW



3122B - 2 H B XX B 0 1

ROW NO.: _____
2=DOUBLE ROW

TYPE CODE: _____
HK=MALE HOSING

HOOK FORM

Internal Code:
1~9

—PACK CODE:
0=PE BAG

—COLOR CODE:
B=BLACK


—SINGLE ROW PINS:
02~25pin

				OPERATION		DRAW Andrey	DATE 2022/04/12	SCALE	Fit	PART NO. 3122B-2HBXXB01	WCON Http: www.wcon.com WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
				X.X	±0.40			UNIT	mm		
				X.XX	±0.25	CHECK	DATE	SIZE	A4	2.00mm Box Header Crimp Housing, Hook Form TYPE-B	
				X.XXX	±0.15			SHEET	1/3		
A0	2022/04/12	NEW RELEASE	Andrey	Angle	± 3°	APPROVE	DATE			Customer NO.	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL			PROJ.			

HSF

Table.1:

DIM. PIN NO	DIM.A&TOL.	DIM.B	DIM.C	DIM. PIN NO	DIM.A&TOL.	DIM.B	DIM.C	DIM. PIN NO	DIM.A&TOL.	DIM.B	DIM.C
				20P(2*10P)	20.54			36P(2*18P)	36.54		
6P(2*3P)	6.54	4.00	5.10	22P(2*11P)	22.54	24.00		38P(2*19P)	38.54	36.00	
8P(2*4P)	8.54	6.00		24P(2*12P)	24.54	26.00		40P(2*20P)	40.54	38.00	
10P(2*5P)	10.54	8.00		26P(2*13P)	26.54	28.00	6.60	42P(2*21P)	42.54	40.00	6.60
12P(2*6P)	12.54	10.00		28P(2*14P)	28.54	30.00		44P(2*22P)	44.54	42.00	
14P(2*7P)	14.54	12.00	6.60	30P(2*15P)	30.54	32.00		46P(2*23P)	46.54	44.00	
16P(2*8P)	16.54	14.00		32P(2*16P)	32.54	34.00		48P(2*24P)	48.54	46.00	
18P(2*9P)	18.54	16.00		34P(2*17P)	34.54	36.00		50P(2*25P)	50.54	48.00	



2*3P,2*4P Single hook Configuration

2*5P~2*25P Double hook Configuration

OPERATION

x.x

±0.40

x.xx

±0.25

x.xxx

±0.15

Angle

± 3'

DIM

TOL

DRAW

Andrey

CHECK

APPROVE

DATE

DATE

SCALE

UNIT

SIZE

SHEET

PROJ.

Fit

mm

A4

2/3

Customer NO.

Customer NO.

PART NO.

3122B-2HBXXB01

TITLE:

2.00mm Box Header Crimp Housing,
Hook Form TYPE-B

Customer NO.

Customer NO.

WCON

Http: www.wcon.com

WCON-Dongguan

Tel: +86 769 85358920

Fax: +86 769 85358915

E-mail: sales@wcon.com

WCON-Kunshan

Tel: +86 512 57468408

Fax: +86 512 57468468

E-mail: salesks@wcon.com

AO 2022/04/12

NEW RELEASE


Andrey

REV DATE






MODIFICATION DESCRIPTION

CHANGE

HSF



Assembly Hint View



				Operation		Draw	Date	Scale	FIT	Part No.		 Http: www.wcon.com WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com	
				x.X	±0.40	Andrey.yang	2022/04/12	Unit	mm	3122B-2HBXXB011			
				x.XX	±0.35	Check	Date	Size	A4	Title:			
				x.XXX	±0.15					2.00mm Box Header Crimp Housing, Hook Form TYPE-B			
A0	2022/04/12	NEW RELEASE	Andrey.yang	Angle	± 3°	Approve	Date	Sheet	3/3	Customer No.			
Rev	Date	Modfication scription	Change	DIM	TOL			PROJ.					