





**HSF**

**Packing:**

**Tube:**




W/T CAP




W/O CAP

Tube




Inner Box



Box


**Reel:**




客户安装时拉出方向  
Customer pull out direction

Round

Ellipse



Inner Box



Box (Put in 3 Inner Box)

A3	2025/04/25	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A2	2018/09/07	Modify	Ding	x.X ±0.40	CP	2025/04/25	UNIT	mm	1215-11XXXXZXXCRXX
A1	2018/01/18	Modify P/N	Liu	x.XX ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/04/26	NEW	Tang	x.XXX ±0.15	TANG	2025/04/25	SHEET	2/4	PH2.00 SINGLE ROW 90°SMT H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/04/25			

**WCON**

Http: [www.wcon.com](http://www.wcon.com)

WCON-Dongguan  
Tel: +86 769 85358920  
Fax: +86 769 85358915  
E-mail: [sales@wcon.com](mailto:sales@wcon.com)

WCON-Kunshan  
Tel: +86 512 57468408  
Fax: +86 512 57468468  
E-mail: [salesks@wcon.com](mailto:salesks@wcon.com)

**HSF**

**Packaging Quantity Refers To The Following Table**

W/T CAP				W/T CAP				W/O CAP				W/O CAP			
PINS	Q'ty/Tube	Q'ty/Inner Box	Q'ty/Box	PINS	Q'ty/Tube	Q'ty/Inner Box	Q'ty/Box	PINS	Q'ty/Tube	Q'ty/Inner Box	Q'ty/Box	PINS	Q'ty/Tube	Q'ty/Inner Box	Q'ty/Box
4	72	17,280	34,560	23	12	2,880	5,760	4	72	8,640	17,280	23	12	1,440	2,880
5	55	13,200	26,400	24	11	2,640	5,280	5	55	6,600	13,200	24	11	1,320	2,640
6	46	11,040	22,080	25	11	2,640	5,280	6	46	5,520	11,040	25	11	1,320	2,640
7	40	9,600	19,200	26	11	2,640	5,280	7	40	4,800	9,600	26	11	1,320	2,640
8	35	8,400	16,800	27	10	2,400	4,800	8	35	4,200	8,400	27	10	1,200	2,400
9	31	7,440	14,880	28	10	2,400	4,800	9	31	3,720	7,440	28	10	1,200	2,400
10	28	6,720	13,440	29	9	2,160	4,320	10	28	3,360	6,720	29	9	1,080	2,160
11	25	6,000	12,000	30	9	2,160	4,320	11	25	3,000	6,000	30	9	1,080	2,160
12	23	5,520	11,040	31	9	2,160	4,320	12	23	2,760	5,520	31	9	1,080	2,160
13	21	5,040	10,080	32	9	2,160	4,320	13	21	2,520	5,040	32	9	1,080	2,160
14	20	4,800	9,600	33	8	1,920	3,840	14	20	2,400	4,800	33	8	960	1,920
15	19	4,560	9,120	34	8	1,920	3,840	15	19	2,280	4,560	34	8	960	1,920
16	17	4,080	8,160	35	8	1,920	3,840	16	17	2,040	4,080	35	8	960	1,920
17	16	3,840	7,680	36	8	1,920	3,840	17	16	1,920	3,840	36	8	960	1,920
18	15	3,600	7,200	37	7	1,680	3,360	18	15	1,800	3,600	37	7	840	1,680
19	15	3,600	7,200	38	7	1,680	3,360	19	15	1,800	3,600	38	7	840	1,680
20	14	3,360	6,720	39	7	1,680	3,360	20	14	1,680	3,360	39	7	840	1,680
21	13	3,120	6,240	40	7	1,680	3,360	21	13	1,560	3,120	40	7	840	1,680
22	13	3,120	6,240					22	13	1,560	3,120				

A3	2025/04/25	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A2	2018/09/07	Modify	Ding	x.X ±0.40	CP	2025/04/25	UNIT	mm	1215-11XXXXXXCRXX
A1	2018/01/18	Modify P/N	Liu	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/04/26	NEW	Tang	x.xxx ±0.15	TANG	2025/04/25	SHEET	3/4	PH2.00 SINGLE ROW 90°SMT H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/04/25			

**WCON**  
[Http: www.wcon.com](http://www.wcon.com)  
 WCON-Dongguan Tel: +86 769 85358920  
 WCON-Kunshan Tel: +86 512 57468408  
 Fax: +86 769 85358915 Fax: +86 512 57468468  
 E-mail: sales@wcon.com E-mail: salesks@wcon.com

**HSF**

**Packaging Quantity Refers To The Following Table**

B=2.5/3.0/3.5

B=2.5/3.0/3.5

B=4.0

B=4.0

PINS	W	Q'ty/Reel	Q'ty/Inner Box	Q'ty/Box
2	12	1,350	8,100	24,300
3	16	1,350	5,400	16,200
4	16	1,350	5,400	16,200
5	24	1,350	4,050	12,150
6	24	1,350	4,050	12,150
7	24	1,350	4,050	12,150
8	24	1,350	4,050	12,150
9	32	1,350	2,700	8,100
10	32	1,350	2,700	8,100
11	44	1,350	2,700	8,100
12	44	1,350	2,700	8,100
13	44	1,350	2,700	8,100
14	44	1,350	2,700	8,100
15	44	1,350	2,700	8,100
16	44	1,350	2,700	8,100
17	56	1,350	1,350	4,050
18	56	1,350	1,350	4,050

PINS	W	Q'ty/Reel	Q'ty/Inner Box	Q'ty/Box
19	56	1,350	1,350	4,050
20	56	1,350	1,350	4,050
21	56	1,350	1,350	4,050
22	56	1,350	1,350	4,050
23	72	1,350	1,350	4,050
24	72	1,350	1,350	4,050
25	72	1,350	1,350	4,050
26	72	1,350	1,350	4,050
27	72	1,350	1,350	4,050
28	72	1,350	1,350	4,050
29	72	1,350	1,350	4,050
30	72	1,350	1,350	4,050
31	88	1,350	1,350	4,050
32	88	1,350	1,350	4,050
33	88	1,350	1,350	4,050
34	88	1,350	1,350	4,050
35	88	1,350	1,350	4,050

PINS	W	Q'ty/Reel	Q'ty/Inner Box	Q'ty/Box
2	12	1,000	6,000	18,000
3	16	1,000	4,000	12,000
4	16	1,000	4,000	12,000
5	24	1,000	3,000	9,000
6	24	1,000	3,000	9,000
7	24	1,000	3,000	9,000
8	24	1,000	3,000	9,000
9	32	1,000	2,000	6,000
10	32	1,000	2,000	6,000
11	44	1,000	2,000	6,000
12	44	1,000	2,000	6,000
13	44	1,000	2,000	6,000
14	44	1,000	2,000	6,000
15	44	1,000	2,000	6,000
16	44	1,000	2,000	6,000
17	56	1,000	1,000	3,000
18	56	1,000	1,000	3,000

PINS	W	Q'ty/Reel	Q'ty/Inner Box	Q'ty/Box
19	56	1,000	1,000	3,000
20	56	1,000	1,000	3,000
21	56	1,000	1,000	3,000
22	56	1,000	1,000	3,000
23	72	1,000	1,000	3,000
24	72	1,000	1,000	3,000
25	72	1,000	1,000	3,000
26	72	1,000	1,000	3,000
27	72	1,000	1,000	3,000
28	72	1,000	1,000	3,000
29	72	1,000	1,000	3,000
30	72	1,000	1,000	3,000
31	88	1,000	1,000	3,000
32	88	1,000	1,000	3,000
33	88	1,000	1,000	3,000
34	88	1,000	1,000	3,000
35	88	1,000	1,000	3,000

A3	2025/04/25	Standardization Drawing	CP	OPERATION	DRAW	DATE	SCALE	Fit	PART NO.
A2	2018/09/07	Modify	Ding	x.X ±0.40	CP	2025/04/25	UNIT	mm	1215-11XXXXZXXCRXX
A1	2018/01/18	Modify P/N	Liu	x.xx ±0.25	CHECK	DATE	SIZE	A4	TITLE:
A0	2012/04/26	NEW	Tang	x.xxx ±0.15	TANG	2025/04/25	SHEET	4/4	PH2.00 SINGLE ROW 90°SMT H=1.5
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle ± 3°	APPROVE	DATE	PROJ.		Customer NO.
				DIM TOL	Steven Zhao	2025/04/25			

**WCON**

Http: www.wcon.com

WCON-Dongguan Tel: +86 769 85358920 Fax: +86 769 85358915 E-mail: sales@wcon.com	WCON-Kunshan Tel: +86 512 57468408 Fax: +86 512 57468468 E-mail: salesks@wcon.com
-------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------